



LoadGard Winch Strap

Heavy-Duty Cargo Control

Item Name short	Lashing Capacity [lbs]	Weight Net [lbs]	Webbing Width B [in]	Length [ft.]	End Fitting Component
WS220DRY	3335	2.75	2	20	D-2"
WS227DRY	3335	2.75	2	27	D-2"
WS227FHY	3335	4.75	2	27	FH-2"
WS327FHY	4335	3.75	3	27	FH-3"
WS327DRY	4335	3.75	3	27	D-3"
WS327CGY	4335	3.75	3	27	CG-3"
WS330CGY	4335	3.75	3	30	CG-3"
WS330FHY	4335	4.5	3	30	FH-3"
WS330DRY	4335	4.5	3	30	D-3"
WS430THY	5000	-	4	30	TH-4"
WS427CGY	5000	4.5	4	27	CG-4"
WS427THY	5000	4.5	4	27	TH-4"
WS430CGY	5000	4.75	4	30	CG-4"
WS405TCSY	5335	4.5	4	5	CSY-4"
WS430FHY	5400	-	4	30	FH-4"
WS427FHY	5400	4.5	4	27	FH-4"
WS427DRY	5400	4.5	4	27	D-4"
WS430DRY	5400	4.75	4	30	D-4"



ORDER NUMBERS[Global Item Number/Local ERP Number SSUS]

Length	End Fitting Component	2 in	3 in	4 in
5 ft.	 CSY-4"	-	-	2014462 WS405TCSY
20 ft.	 D-2"	2014443 WS220DRY	-	-
27 ft.	 FH-2"	2014437 WS227FHY	-	-
27 ft.	 D-2"	2014444 WS227DRY	-	-
27 ft.	 FH-3"	-	2014439 WS327FHY	-
27 ft.	 D-3"	-	2014445 WS327DRY	-
27 ft.	 CG-3"	-	2014449 WS327CGY	-
27 ft.	 FH-4"	-	-	2014441 WS427FHY
27 ft.	 D-4"	-	-	2014447 WS427DRY
27 ft.	 CG-4"	-	-	2014451 WS427CGY
27 ft.	 TH-4"	-	-	2014453 WS427THY
30 ft.	 FH-3"	-	2014440 WS330FHY	-



Length	End Fitting Component		2 in	3 in	4 in
30 ft.		D-3"	-	2014446 WS330DRY	-
30 ft.		CG-3"	-	2014450 WS330CGY	-
30 ft.		FH-4"	-	-	2014442 WS430FHY
30 ft.		D-4"	-	-	2014448 WS430DRY
30 ft.		CG-4"	-	-	2014452 WS430CGY
30 ft.		TH-4"	-	-	2014454 WS430THY

- Main Material Polyester
- Color Neon yellow
- Temperature Range -40° TO + 194°
- Packaging Unit (PU) Content 1

SpanSet, Inc.
3125 Industrial Drive
Sanford, NC 27331
United States of
America
800-334-7505
info@spanset.com
www.spanset.com



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet, Inc. - USA

**SpanSet
Certified
Safety**