

WearGuard Winch Strap

Orange Premium PVC Impregnated Webbing



Item Name short	Lashing Capacity [lbs]	Weight Net [lbs]	Webbing Width B [in]	Length [ft.]	End Fitting Component
WS220DR	3335	2.75	2	20	D-2"
WS227FH	3335	2.75	2	27	FH-2"
WS227DR	3335	2.75	2	27	D-2"
WS230FH	3335	3.75	2	30	FH-2"
WS327FH	4335	3.75	3	27	FH-3"
WS327DR	4335	3.75	3	27	D-3"
WS327CG	4335	3.75	3	27	CG-3"
WS330DR	4335	3.75	3	30	D-3"
WS330CG	4335	3.75	3	30	CG-3"
WS330FH	4335	4.5	3	30	FH-3"
WS427CG	5000	4.5	4	27	CG-4"
WS427TH	5000	4.5	4	27	TH-4"
WS430CG	5000	4.75	4	30	CG-4"
WS430TH	5000	4.75	4	30	TH-4"
WS427FH	5400	4.5	4	27	FH-4"
WS427DR	5400	4.5	4	27	D-4"
WS430FH	5400	4.75	4	30	FH-4"
WS430DR	5400	4.75	4	30	D-4"



ORDER NUMBERS[Global Item Number/Local ERP Number SSUS]

Length	End Fitting Component	2 in	3 in	4 in
20 ft.	 D-2"	2014469 WS220DR	-	-
27 ft.	 FH-2"	2014463 WS227FH	-	-
27 ft.	 D-2"	2014470 WS227DR	-	-
27 ft.	 FH-3"	-	2014465 WS327FH	-
27 ft.	 D-3"	-	2014471 WS327DR	-
27 ft.	 CG-3"	-	2014475 WS327CG	-
27 ft.	 FH-4"	-	-	2014467 WS427FH
27 ft.	 D-4"	-	-	2014473 WS427DR
27 ft.	 CG-4"	-	-	2014477 WS427CG
27 ft.	 TH-4"	-	-	2014479 WS427TH
30 ft.	 FH-2"	2014464 WS230FH	-	-
30 ft.	 FH-3"	-	2014466 WS330FH	-



Length	End Fitting Component		2 in	3 in	4 in
30 ft.		D-3"	-	2014472 WS330DR	-
30 ft.		CG-3"	-	2014476 WS330CG	-
30 ft.		FH-4"	-	-	2014468 WS430FH
30 ft.		D-4"	-	-	2014474 WS430DR
30 ft.		CG-4"	-	-	2014478 WS430CG
30 ft.		TH-4"	-	-	2014480 WS430TH

- Temperature Range -40° TO + 194°
- Label Protection Yes
- Packaging Unit (PU) Content 1

SpanSet, Inc.
3125 Industrial Drive
Sanford, NC 27331
United States of
America
800-334-7505
info@spanset.com
www.spanset.com



Subject to technical changes. All rights reserved. No part of this Technical Data Sheet may be reproduced in any form (print, photocopy, microfilm or any other process) or processed, duplicated or distributed using electronic systems without the written permission of SpanSet. This Technical Data Sheet has been prepared with due care; SpanSet accepts no liability for errors or omissions. © SpanSet, Inc. - USA

**SpanSet
Certified
Safety**